

Urara Mizushima\*: **Nomenclatorial changes in *Ertodon***  
**(Taxonomic notes on Japanese Mosses (2))**

水島うらら\*: ツヤゴケ属植物の新名 (日本産蘚類寸評 2)

For a correct use of names, the following note containing 11 species with synonyms is offered here. For reasons please see the coming no. 22 of the Journal of Hattori Botanical Laboratory.

(1) ***Entodon concinnus*** (De Not.) Paris, Index Bryol. ed, 2, 2: 130 (1904)

subsp. ***concinnus***

*Hypnum schreberi* γ *orthocarpum* Brid., Bryol. Univ. 2: 422 (1827)

*H. orthocarpum* La Pyl. pro syn. in Brid. 1. c. (1827)

*H. concinnum* De Not., Mant. n. 18 (1835) et Syll. 45 (1838)

*Isotheicum insidiosum* Nont. in Ann. Sc. 20: 252, t. 15, f. 1 (1843)

*Entodon montagnei* C. Müll. in Linn. 18: 708 (1844)

*Neckera orthocarpa* C. Müll., Synops. Musc. 2: 69 (1850)

*Cylindrothecium montagnei* B.S.G., Bryol. Eur. fasc. 46-47, mon. 6, t. 469 (1851)

*C. concinnum* Schimp., Synops. ed. 1: 515 (1860)

*E. orthocarpus* Lindb., Musc. Scand. 39 (1879)

subsp. ***caliginosus*** (Mitt.) U. Mizushima stat. nov.

var. *caliginosus*, forma *caliginosus*.

*Stereodon caliginosus* Mitt. in Journ. Proc. Linn. Soc. Suppl. Bot. 1: 108 (1859)

*E. caliginosus* (Mitt.) Jaeg. et Sauerb. in Ber. Thät. St. Gall. Nat. Ges. 1876-77: 285 (1876-77)

*E. amblyophyllus* C. Müll. Nuov. Giorn. Bot. Ital. 3: 110 (1896) syn. nov.

*E. pseudo-orthocarpus* C. Müll. 1. c. (1896) et ibid. 5: 194 (1898) syn. nov.

*E. serpentinus* C. Müll., 1. c. (1898) syn. nov.

*E. subramulosus* Broth. in Handel-Mazzetti, Symbol. Sin. 4, Musci, 112 (1898) syn. nov.

\* [redacted] Fuchu, Tokyo. 東京都府中市 [redacted]

forma **subtilis** (C. Müll.) U. Mizushima stat. et comb. nov.

*E. pseudo-orthocarpus* C. Müll. var. *subtilis* C. Müll. *ibid.* 195 (1898)  
var. **fauriei** (Broth. et Par.) U. Mizushima stat. nov.

*E. fauriei* Broth. et Pais ex Paris in *Rev. Bryol.* **31**: 60 (1904)

(2) **E. huricundus** (Mitt.) Jaeg. et Sauerb. in *Ber. Thät. St. Gall. Nat. Ges.*  
1876-77: 285 (1879)

*Neckera flavescens* Hook. in *Trans. Linn. Soc. Lond.* **9**: 413, t. 27 f.  
2 (1804)

*N. coarctata* C. Müll. ex parte, *Synops. Musc.* **2**: 69 (1851) fide Mitten  
in *Journ. Proc. Linn. Soc. Suppl. Bot.* **1**: 108 (1859)

*Stereodon rubicundus* Mitt., 1. c. (1859)

*S. griffithii* Mitt., 1. c. (1859)

*E. griffithii* (Mitt.) Jaeg. et Sauerb. in *Ber. Thät. St. Gall. Nat. Ges.*  
1876-77: 293 (1876-77) syn. nov.

*E. ramulosus* Mitt. in *Trans. Linn. Soc. Lond. ser. 2, Bot.* **3**: 60  
(1891)

*E. rubrissimus* Sakurai in *Journ. Jap. Bot.* **28**: 59, f. 5 (1953)

*E. ramulosus* Mitt. forma *rubrissimus* (Sak.) U. Mizushima in *Journ.*  
*Jap. Bot.* **32**: 159 (1957) syn. nov.

*E. japonicus* C. Müll. mss.

(3) **E. sullivantii** (C. Müll.) Lindb. in *Act. Soc. Sci. Fenn.* **10**: 233 (1872)

var. **sullivantii**.

*Neckera sullivantii* C. Müll., *Synops. Musc.* **2**: 65 (1851)

var. **attenuatus** (Mitt.) U. Mizushima stat. nov.

*E. attenuatus* Mitt. in *Trans. Linn. Soc. Lond. ser. 2, Bot.* **3**: 179  
(1891)

*E. akitensis* Besch. in *Journ. Bot.* **13**: 44 (1899) syn. nov.

*E. chloroticus* Besch. in *Journ. Bot.* **13**: 43 (1899) syn. nov.

*E. flaccidus* Besch., 1. c. (1899) syn. nov.

*E. herbaceus* Besch., 1. c. (1899) syn. nov.

*E. tosaе* Besch. 1. c. (1899) syn. nov.

*E. rigidus* Noguchi in *Journ. Jap. Bot.* **14**: 29, f. 4 (1948) syn. nov.

*E. subdiversinervis* Sakurai in *Journ. Jap. Bot.* **28**: 60, f. 6 (1953)  
syn. nov.

(4) **E. compressus** C. Müll. in *Linn.* **18**: 707 (1844), excl. syn. Hedw.

- Neckera compressa* C. Müll., Synops. Musc. **2**: 66 (1851)
- E. abbreviatus* Mitt. in Trans. Linn. Soc. Lond. ser. 2, Bot. **3**: 59 (1959)
- Cylindrothecium challenger* Paris, Index Bryol. ed. 1, 196 (1894)
- E. challenger* (Paris) Card in Beih. Bot. Centralbl. **17**: 32 (1904) syn. nov.
- E. challenger* Paris Index Bryol. ed. 2, **2**: 129 (1904) syn. nov.
- E. osadae* Sakurai in Bot. Mag. Tokyo **50**: 308, f. 6, a-c (1936)
- Cymbifoliella sasaokae* Dix. in Journ. of Bot. **74**: 8, pl. 60, f. 8 (1936)
- (5) **E. okamurae** Broth. ex Card. in Bull. Soc. Bot. Gén. 2 ser. **3**: 285 (1911)
- E. andoi* Sh. Okam. in Journ. Coll. Sci. Imp. Univ. Tokyo **36** (7): 22, t. 11 (1915) syn. nov.
- E. arenosus* Sh. Okam. in Journ. Coll. Sci. Imp. Univ. Tokyo **38** (4): **48**, f. 21 (1916) syn. nov.
- E. cochleatus* Broth. in Sitzungsber. Akd. Wissensch. Wien. Mathem.-naturw. Klasse, Abt. 1, 131: 217 (1922) syn. nov.
- (6) **E. giraldii** C. Müll. in Nuov. Giorn. Bot. Ital. **4**: 264 (1897)
- Synodontella japonica* Dix. et Thér. ex Dix. in Journ. Bot. **74**: 9, pl. 610, f. 10 (1936)
- E. bungoensis* Noguchi in Journ. Jap. Bot. **23**: 118, f. 39 (1949) syn. nov.
- E. japonicus* (Dix. et Thér.) Noguchi in Journ. Jap. Bot. **26**: 337, f. 1 (1951) syn. nov.
- (7) **E. brevisetus** (Hooker et Wils.) Jaeg. et Sauerb. in Ber. Thät. St. Gall. Nat. Ges. 1876-77: 291 (1879)
- Neckera breviseta* Hook. et Wils., Lond. Journ. Bot. **4**: 489, pl. 24, f. a (1842)
- E. calycinus* Card in Bull. Soc. Bot. Gén. 2 sér. **3**: 285 (1911) syn. nov.
- Platygyrium perichaetiale* Card. in Bull. Soc. Bot. Gén. **2** sér. **3**: 287 (1911)
- E. sakuraii* Broth. in Öv. Finsk. Vet. Soc. Forh. **62**: 28 (1920) syn. nov.
- E. perichaetialis* (Card.) Noguchi et Toyama ex Noguchi in Journ. Jap. Bot. **15**: 759 (1939) syn. nov.
- E. dependens* Sakurai in Bot. Mag. Tokyo **48**: 394 (1934)
- (8) **E. diversinervis** Card. in Bull. Soc. Bot. Gén. **2** Sér. **3**: 286 (1911)

*Actinostoma japonica* Reim. et Sakurai in Bot. Jahrb. **61**: 553, t. 20 (1931)

*A. tokyoense* Sakurai, Musc. Jap. 151 (1954), excl. syn. Besch. syn. nov.

(9) *E. scabridens* Lindb. in Acta Soc. Sci. Fenn. 10: 253 (1872)

*E. pilifer* Broth. et Paris ex Paris in Rev. Bryol. **31**: 61 (1904) syn. nov.

*E. ohinatae* Sh. Okam. in Journ. Coll. Sci. Imp. Univ. Tokyo **36** (7): 23, t. 12 (1915) syn. nov.

(10) *E. angustifolius* (Mitt.) Jaeg. et. Sauerb. in Ber. Thät. St. Gall. Nat. Ges. 1876-77: 287 (1879)

forma **angustifolius**

*Stereodon angustifolius* Mitt. in Journ. Proc. Linn. Soc. Suppl. Bot. **1**: 106 (1859)

*E. henryi* Paris et Broth. ex Paris in Rev. Bryol. **35**: 42 (1908) syn. nov.

*Glossadelphus doi* Sak. in Bot. Mag. Tokyo **49**: 143 (1935)

*E. doi* (Sak.) Sakurai in Bot. Mag. Tokyo **50**: 526 (1936) syn. nov.

forma **maebarae** (Noguchi) U. Mizushima stat. nov.

*E. maebarae* Noguchi in Journ. Jap. Bot. **13**: 90, f. 3 (1937)

(11) *E. obtusatus* Breth. in Sitzungsber. Akad. Wissensch. Wien Mathem-naturw. Klasse, Abt. 1, **131**: 216 (1922)

*E. eurhynchioides* Herz. et Noguchi in Journ. Hatt. Bot. Lab. **14**: 69, f. 23 (7-12) (1955) syn. nov.

ツヤゴケ属植物の再検植を行うに当り、多くの植物の名を組変える必要が生じたので欧文欄に見る如くこれを整理した。詳細については服部植物研究所報告 22 号を参照され度い。なお本研究はその一部を文部省科学研究費交付金に負うものであり記して感謝の微意を表します。

## ○ 名古屋市で採集されたカヤツリグサ科植物(久内清孝) Kiyotaka HISAUCHI:

Two Casual Umbrella-Sedges found in Nagoya.

名古屋の上田 豊氏は昨年 8 月 27 日同市中切町にて *Cyperus javanicus* Houtt. (オニクグ) を、また四日市港にて同年 9 月 10 日に *C. Eragrostis* Lam. (メリケンカヤツリ) をそれぞれとられた、これらは大井、小山両氏のかん定によるものでいづれも内地ではじめての採集であるが、沖繩ではすでに採集されている由。いづれもワングルに類似の一群である。